State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-325-30

Relating to Certification of New Medium-Duty Motor Vehicles

GFI CONTROL SYSTEMS, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2001 model-year GFI Control Systems, Inc. motor vehicles which have a manufacturer's gross vehicle weight rating (GVWR) of 8,501 to 14,000 pounds are certified using Otto-cycle engines listed below:

Emission Standard Category: Ultra-Low-Emission Vehicle (ULEV)

Fuel Type: Dual Fuel Liquefied Petroleum Gas (LPG) or Gasoline

Engine	Engine Family	Engine Displacement		Engine Model Year and Certification	
<u>Manufacturer</u>		Liters (Cubic Inches)		Executive Order No.	
GFI Control Systems, Inc.	1G9XH06.87CP	6.8	(417)	2001	A-325-29

Engine and vehicle models and codes are listed on attachments.

The ULEV certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Formaldehyde
0.050

The ULEV certification exhaust emission values for this engine family in grams per brake horsepower-hour are: (The values in parentheses are for gasoline.)

Non-Methane Hydrocarbons + Nitrogen Oxides	Carbon <u>Monoxide</u>	Formaldahuda
		<u>Formaldehyde</u>
1.7 (0.7)	4.1 (2.4)	0.000 (0.001)

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional ULEV standards and test procedures applicable to incomplete and diesel medium-duty vehicles between 8,501 and 14,000 pounds GVWR pursuant to Title 13, California Code of Regulations, Section 1956.8(h).

BE IT FURTHER RESOLVED: That the listed vehicle models shall be subject to the in-use compliance provisions applicable to 1995 and subsequent model-year medium-duty vehicle engines set forth in Title 13, California Code of Regulations, Section 2139(c).

BE IT FURTHER RESOLVED: That the listed vehicle models comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed engine and vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards listed in Section E.1.(a) of the "California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

day of August 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

CI ENGINE EVAPORATIVE EMISSION FORM

Model Year 2001 Process Code New Submission EPA Standardized Evaporative Family name 1GSXE0155BAH A.) Evaporative Certification Standard 86.091-10(b) - Otto Cycle Evaporative Results Test 1 Test 2 Test 3 Date of Test 4 Date of Test 3 Date of Test 3 Date of Test 4 Date of Test 3 Date of Te	nufacturer: GEi	Control Systems Inc.		7		
Process Code New Submission 4. Test Data Set Number 0685. EPA Standardized Evaporative Family name 1G9XE0155BAH A.) Evaporative Certification Standard 96.091-10(b) - Otto Cycle B.) Weight Catagory GVWR < Evaporative Results Test 1 Test 2 Test 3 Date of Test 3 Diumal g/test 2 Diumal g/test 1.578 Running Loss g/test Spit Back g/test 1996 Evap Test g/test		•				
Process Code New Submission	Model Year 20	101	2. Date 6/21/	2000		
EPA Standardized Evaporative Family name 1G9XE0155BAH A.) Evaporative Certification Standard 36.091-10(b) - Otto Cycle Evaporative Results Test 1 Date of Test 2 Date of Test 2 Diurnal g/test 2 Diurnal g/test 2 Spit Back g/test 1 1996 Evap Test g/test 1 Evaporative Family/Engine Comparison Information Evaporative Family/Code Engine Manufacturer Engine Family Control System Ingexeo155BAH GFI Control Systems Inc. IngexHo6.97CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6. Fuel Dual fuel 1 (Propane/Gasoline) B.) Weight Catagory GWWR < B.) Weight Catagory GWWR < Test 3 Test 2 Test 3 3.5. System 3 System 4 System Family Control System Evaporative Family Control System Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.3L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	Process Code Ne	ew Submission				
A.) Evaporative Results Test 1 Date of Test 2 Journal gitest 2 Durinal gitest 3 Diurnal gitest 2 Durinal gitest 3 Diurnal gitest 1 Spit Back gitest 1 Spit Back gitest 1 Spit Back gitest 1 Spit Back gitest 2 Evaporative Family/Engine Comparison Information Evaporative Family/Engine Comparison Information Evaporative Family/Engine Manufacturer Engine Family Control System 1 IG9XE0155BAH GFI Control Systems Inc. IG9XH06.87CP Ford OEM MODELS MY 2001 PI31 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.3L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	EPA Standardiz	EPA Standardized Evaporative Family name		186		
Date of Test 3 Diurnal gritest 2 Diurnal gritest Spit Back gritest	1G9XE0	155BAH	o o ruei buai	ruer 1 (Propane/Gasoline)		
Date of Test 3 Date of Test 3 Diurnal gitest 2 Spit Back gitest 1.578 3.5. Evaporative Family/Engine Comparison Information Evaporative Family/Code Engine Manufacturer Engine Family Code Engine Manufacturer Engine Family Control System IGSXE0155BAH GFI Control Systems Inc. IGSXH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS I1000	A.) Evaporative C	ertification Standard 86.091	-10(b) - Otto Cycle	D. Wei-ht O. t.	-	
Date of Test 2 224/99 Date of Test 3 Diurnal g/test 2 Diurnal g/test 2 Diurnal g/test 2 Diurnal g/test 1.578 Running Loss g/test 5pit Back g/test 1996 Evap Test g/test g/			va(a) and cycle	b.) Weight Catagory GV	/WH <:	
Date of Test 3 Diurnal g/test 2 Diurnal g/test Running Loss g/test Spit Back g/test 1996 Evap Test g/test Evaporative Family/Engine Comparison Information Evaporative Family/Engine Manufacturer Engine Family Code Engine Manufacturer Engine Family Control Systems Inc. IG9XH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.3L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	Evaporative Re	<u>sults</u>				
3 Diurnal g/test 2 Diurnal g/test Running Loss g/test Spit Back g/test 1996 Evap Test g/test Evaporative Family/Engine Comparison Information Evaporative Family/Engine Comparison Information Evaporative Family/Engine Comparison Information Evaporative Family Control Systems Inc. IG9XH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	Data of T		Test 2	Test 3		
2 Diumal g/test Running Loss g/test Spit Back g/test 1996 Evap Test g/test Evaporative Family/Engine Comparison Information Evaporative Family/Code Engine Manufacturer Engine Family Control System 1G9XE0155BAH GFI Control Systems Inc. 1G9XH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.3L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.3/164.5 4.30LS 11000		1	and discount and the same of t			
Running Loss g/test Spit Back g/test 1996 Evap Test g/test Evaporative Family/Engine Comparison Information Evaporative Family Code Engine Manufacturer Engine Family Control System 1G9XE0155BAH GFI Control Systems Inc. 1G9XH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000					¥•	
Spit Back g/test 1996 Evap Test g/test Evaporative Family/Engine Comparison Information Evaporative Family Code Engine Manufacturer Engine Family Control System 1G9XE0155BAH GFI Control Systems Inc. 1G9XH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	Running Loss g/te	est .		3.5		
Evaporative Family/Engine Comparison Information Evaporative Family/Code Engine Manufacturer Engine Family Control System IG9XE0155BAH GFI Control Systems Inc. IG9XH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.3L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000		!	The state of the s			
Evaporative Family/Engine Comparison Information Evaporative Family Code Engine Manufacturer Engine Family Control System IG9XE0155BAH GFI Control Systems Inc. IG9XH08.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000			A show that a second se	233		
Evaporative Family Code Engine Manufacturer Engine Family Control System IG9XE0155BAH GFI Control Systems Inc. IG9XH06.87CP Ford OEM MODELS MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS I1000	•		<u> </u>	Propaga		
MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	HOOKEUTSOBALL	GET Control Systems Inc.	1G9XH06.87CP	Ford OEM]	
MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	The state of the s	de la companya del companya de la companya del companya de la comp	The state of the s		-	
MY 2001 P131 LPG Bi-fuel Configurations All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	District Control Control of the Cont	And the second of the second o	and the state of t	The second secon		
All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	MODEL	S				
All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000			•			
All vehicles are incomplete cab and chassis with: Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	MY 2001	P131 I PG Pi Sial Confi				
Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000		TIPI LI O BI-IUEI COMI	gurations			
Regular and Crew Cab Dual Rear Wheel 6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	All vehic	les are incomplete cab and	d chassis with			
6.8L PI Engine 4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	Regular a	nd Crew Cab	, vitti:			
4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	Dual Rea	r Wheel				
4R100 Transmission 4x2 Vehicles Vehicle Cert Wheel Base Rear Axie GVW F350 Cal 140.8/164.5 4.30LS 11000	6.8L PI E	ngine				
VehicleCertWheel BaseRear AxieGVWF350Cal140.8/164.54.30LS11000	4R100 Tr	ansmission				
VehicleCertWheel BaseRear AxieGVWF350Cal140.8/164.54.30LS11000		_				
F350 Cal 140.8/164.5 4.30LS 11000		=				
F350 Cal 140.8/164.5 4.30LS 11000			Rear Axle	GVW		
	F350	Cal 140.8/164.5				
4x4 Vehicles	4x4 Vehic	ries				
Vehicle Cart Wheel Day			Door Ande	77		
F350 Cal 140.8/164.5 4.30LS 11000						